

National and State Resource Concerns and Planning Criteria

10/1/2013

Resource Concern - Cause	Description of Concern	Land Use	Resource Concern Component	Planning Criteria		Measurement & Assessment Tools	
A resource concern (RC) is an expected degradation of the soil, water, air, plant, or animal resource base to an extent that the sustainability or intended use of the resource is impaired. Because NRCS quantifies or describes resource concerns as part of a comprehensive conservation planning process that includes client objectives, human and energy resources are considered components of the resource base. The “Cause” is the specific reason or threat to the resource that results in the resource concern.		* Required Assessment	For planning purposes, Some resource concerns are divided into components where there is a clear distinction in the causal factors, the mitigating actions, and the anticipated environmental effect.	<p>A planning criterion is a quantitative or qualitative method to assess the existing condition of the natural resources on a site to determine whether additional treatment is needed to address a specific potential resource concern.</p> <p>Planning Consideration</p> <p>A planning consideration is a description of potential actions or activities that should be considered to help address an identified resource concern and/or to address unintended consequences of an action. Planning considerations are identified for resource concerns when it is not appropriate or technologically feasible to identify specific criteria or a threshold for treatment.</p>	<p>Screening Level</p> <p>Screening level criteria are defined, when appropriate, to identify sites with conditions that have little or no probability of needing additional treatment to address the specific resource concern. If the site meets the screening level criteria, then no other assessment is needed to document that planning criteria are met on this site. States can delete or edit nationally identified screening criteria to address localized conditions.</p>	<p>Basic Assessment Level</p> <p>Basic assessment level criteria are used when a site does not meet screening level criteria, or when no screening level criteria are defined. Assessment levels are also used when formulating and evaluating alternatives. National criteria establish the minimum for all sites. States may add state-specific criteria to address local conditions.</p>	Description of the technology or process for determining if assessment criteria are met.

National and State Resource Concerns and Planning Criteria

10/1/2013

SOIL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-1 SOIL EROSION - Sheet, rill, & wind erosion	Detachment and transportation of soil particles caused by rainfall runoff/splash, irrigation runoff or wind that degrades soil quality.	• Crop* • Developed Land* • Farmsteads* • Associated Ag Land* • Designated Protected Area* • Other Rural Land* • Pasture*	Sheet & Rill	Permanent ground cover > 90% and slope < 10%	Water erosion rate ≤ T	RUSLE2 (Revised Universal Soil Loss Equation)
			Wind		Wind erosion rate ≤ T	WEPS (Wind Erosion Prediction System)
		• Forest*	Sheet & Rill	Soil surface organic residue cover > 80%	Site is stable and without visible signs of erosion	Visual Inspection
			Wind			
		• Range*	Sheet & Rill	State established criteria currently under development	RHA - soil site stability - slight to moderate or less OR Rangeland Planned Trend is positive	RHA - Rangeland Health Assessment Rangeland Trend Worksheet
			Wind			
-2 SOIL EROSION – Concentrated flow erosion	Untreated classic gullies may enlarge progressively by head cutting and/or lateral widening. Ephemeral gullies occur in the same flow area and are obscured by tillage. This includes concentrated flow erosion caused by runoff from rainfall, snowmelt or irrigation water.	• Crop*	Ephemeral gullies	Ephemeral gullies are not occurring AND Classic gullies are not present	Conservation practices and managements are in place to prevent or control ephemeral gullies AND Classic gully management is adequate to stop the progression of head cutting and widening and are offsite impacts are minimized by vegetation and/or structures	Field measurements / observations
			Classic gullies			
		• Forest* • Farmsteads* • Pasture* • Range* • Developed Land* • Associated Ag Land* • Designated Protected Area* • Other Rural Land*	Classic gullies	Classic gullies are not present	Classic gully management is adequate to stop the progression of head cutting and widening and are offsite impacts are minimized by vegetation and/or structures	
-3 SOIL EROSION– Excessive bank erosion from streams shorelines or water conveyance channels	Sediment from banks or shorelines threatens to degrade water quality and limit use for intended purposes.	• Crop* • Forest • Range* • Developed Land* • Associated Ag Land* • Designated Protected Area* • Water* • Other Rural Land* • Farmsteads*		No streams or shoreline are on or adjacent to site OR No bank erosion from streams, shorelines or conveyance channels present	For shorelines and water conveyance channels; banks are stable or commensurate with normal geomorphological processes? AND For streambanks; SVAP2 bank condition element score >=6 OR If bank erosion is present, it is beyond the client’s control or commensurate with normal geomorphological processes?	SVAP2
					• Pasture*	PCS - streambank / shoreline erosion element score ≥ 4 AND Bank erosion is it beyond the client’s control or commensurate with normal geomorphological processes? AND For shorelines and water conveyance channels; banks are stable or commensurate with normal geomorphological processes?

National and State Resource Concerns and Planning Criteria

10/1/2013

SOIL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-4 SOIL QUALITY DEGRADATION - Subsidence	Loss of volume and depth of organic soils due to oxidation caused by above normal microbial activity resulting from excessive water drainage, soil disturbance, or extended drought. This excludes karst / sinkholes issues or depressions caused by underground activities.	<ul style="list-style-type: none">• Crop• Forest• Associated Ag Land• Designated Protected Area• Pasture		Histosol soils are not present OR Histosols soils are not exhibiting subsidence	Subsidence is adequately managed to meet client's objectives	Client input / planner observation
-5 SOIL QUALITY DEGRADATION – Compaction	Management induced soil compaction resulting in decreased rooting depth that reduces plant growth, animal habitat and soil biological activity.	<ul style="list-style-type: none">• Crop• Forest• Associated Ag Land• Designated• Pasture <ul style="list-style-type: none">• Range		Soil compaction is not a problem AND Activities do not cause soil compaction problems	Compaction is managed to meet Client's production and management objectives PCS – compaction element score ≥ 4 RHA - soil site stability - slight to moderate or less OR Compaction is managed to meet Client's production and management objectives	Observation of soil and/or plant condition Client input / planner observation PCS - Pasture Condition Score (Section IV, 528) RHA - Rangeland Health Assessment Observation of soil and/or plant condition
-6 SOIL QUALITY DEGRADATION – Organic matter depletion	Soil organic matter is not adequate to provide a suitable medium for plant growth, animal habitat, and soil biological activity.	<ul style="list-style-type: none">• Crop*• Pasture• Range• Forest		Permanent ground cover > 80% AND Organic Matter increasing Permanent ground cover > 80% Soil organic matter depletion is not a problem AND Activities do not cause soil organic matter depletion	Organic matter criteria met SCI > 0 OR [PCS - plant cover element score ≥ 4 AND PCS - plant residue element score ≥ 4] [RHA - soil site stability slight to moderate or less AND RHA – biotic integrity attribute rating slight to moderate departure or less] Ground cover meets state criteria specific to ecological site OR Soil organic matter is managed to meet Client objectives	Kansas Agronomy Technical Note KS-43-Organic Matter Matrix PCS - Pasture Condition Score (Section IV, 528) RUSLE2 RHA - Rangeland Health Assessment Rangeland Trend Worksheet Client input / planner observation

National and State Resource Concerns and Planning Criteria

10/1/2013

SOIL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-7 SOIL QUALITY DEGRADATION – Concentration of salts or other chemicals	Concentration of salts leading to salinity and/or sodicity reducing productivity or limiting desired use, or concentrations of other chemicals impacting productivity or limiting desired use.	<ul style="list-style-type: none"> • Crop • Pasture • Range • Associated Ag Land • Farmsteads 		Activities do not cause salinity/sodicity problems	Conservation practices and managements are in place to mitigate on-site effects	Soil diagnostic evaluations
WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-8 EXCESS WATER – Ponding, flooding, seasonal high water table, seeps, and drifted snow	Surface water or poor subsurface drainage restricts land use and management goals. Wind-blown snow accumulates around and over surface structures, restricting access to humans and animals.	<ul style="list-style-type: none"> • Crop • Forest • Farmsteads • Pasture • Range • Developed Land • Associated Ag Land • Designated Protected Area • Other Rural Land 	Ponding and Flooding	Ponding or flooding not a problem AND Activities do not cause ponding/flooding problems	Excess water is managed to meet Client's objectives	Client input / planner observation
			Seasonal High Water Table	Seasonal high water table does not cause a problem		
			Seeps	Excess water from seeps does not cause a problem		
			Drifted Snow	Drifted snow does not cause a problem		
-9 INSUFFICIENT WATER – Inefficient moisture management	Natural precipitation is not optimally managed to support desired land use goals or ecological processes.	<ul style="list-style-type: none"> • Crop • Developed Land • Forest • Associated Ag Land • Designated Protected Area 		Moisture management is not a problem AND Activities do not cause inefficient moisture management problems	Runoff and evapotranspiration levels are minimized to meet Client's management objectives	Client input / planner observation
		• Range*			RHA - hydrologic function attributes slight to moderate or less	RHA - Rangeland Health Assessment
		• Pasture			PCS – compaction element score ≥ 4 AND PCS - plant cover element score ≥ 4	PCS - Pasture Condition Score (Section IV, 528)
-10 INSUFFICIENT WATER – Inefficient use of irrigation water	Irrigation water is not stored, delivered, scheduled and/or applied efficiently. Aquifer or surface water withdrawals threaten sustained availability of ground or surface water. Available irrigation water supplies have been reduced due to aquifer depletion, competition, regulation and/or drought.	• All*		PLU is not irrigated	FIRI Rating (existing system) ≥ 75	Farm Irrigation Rating Index (FIRI), State Version (Section IV, 449)

National and State Resource Concerns and Planning Criteria

10/1/2013

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-11 WATER QUALITY DEGRADATION: Excess nutrients in surface and ground waters	Nutrients - organic and inorganic - are transported to receiving waters through surface runoff and/or leaching into shallow ground waters in quantities that degrade water quality and limit use for intended purposes.	• Crop*	Excess nutrients in surface water	Organic or inorganic nutrients are not applied AND PLU is not grazed	Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields AND Conservation practices and managements are in place to minimize surface water impacts	Client input / planner observation Nutrient budget (Section IV, 590)
			Excess nutrients in groundwater		Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields AND Conservation practices and managements are in place to minimize groundwater impacts	
		• Pasture*	Excess nutrients in surface water		PCS - streambank / shoreline erosion element score ≥ 4 AND PCS - livestock concentration areas element score	PCS – Pasture Condition Score (Section IV, 528) Nutrient budget (Section IV, 590)
			Excess nutrients in groundwater			
		• Developed Land	Excess nutrients in surface water	Organic or inorganic nutrients are not applied	Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize surface water impacts	Nutrient Budget (Section IV, 590) Client input / planner observation
			Excess nutrients in groundwater		Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize groundwater impacts	
		• Other Rural Land • Associated Ag Land • Designated Protected Area • Water • Forest • Range	Excess nutrients in surface water	Organic or inorganic nutrients are not applied AND PLU is not grazed AND There are no confined livestock areas	Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize surface water impacts	Nutrient Budget (Section IV, 590) Client input / planner observation
			Excess nutrients in groundwater		Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize groundwater impacts	

National and State Resource Concerns and Planning Criteria

10/1/2013

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-11 WATER QUALITY DEGRADATION: Excess nutrients in surface and ground waters (continued)	Nutrients - organic and inorganic - are transported to receiving waters through surface runoff and/or leaching into shallow ground waters in quantities that degrade water quality and limit use for intended purposes.	• Farmsteads*	Excess nutrients in surface water	Organic or inorganic nutrients are not applied AND PLU is not grazed AND There are no confined livestock areas	Conservation practices and managements are in place to minimize surface water impacts AND Surface waters are protected from contamination due to runoff and leaching from storage sites, spill and other concentrated sources	Client input / planner observation
			Excess nutrients in groundwater		Conservation practices and managements are in place to minimize groundwater impacts AND Groundwater is protected from contamination due to runoff and leaching from storage sites, spill and other concentrated sources	
-12 WATER QUALITY DEGRADATION – Pesticides transported to surface and ground waters	Pest control chemicals are transported to receiving waters in quantities that degrade water quality and limit use for intended purposes.	• All	Pesticides transported to surface water	Pest control chemicals are not applied	Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND Conservation practices and managements are in place to minimize surface water impacts	Client input / planner observation Win-PST (Windows Pesticide Screening Tool WIN-PST 3.1)
			Pesticides transported to groundwater	Pest control chemicals are not applied	Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND Conservation practices and managements are in place to minimize groundwater impacts	
-13 WATER QUALITY DEGRADATION – Excess pathogens and chemicals from manure, bio-solids or compost applications	Pathogens, pharmaceuticals, and other chemicals carried by land applied soil amendments are transported to receiving waters in quantities that degrade water quality and limit use for intended purposes. This resource concern also includes the off-site transport of leachate and runoff from compost or other organic materials of animal origin.	<ul style="list-style-type: none"> • Crop* • Farmsteads* • Forest • Developed Land • Associated Ag Land • Other Rural Land • Designated Protected Area • Water • Pasture* • Range 	Pathogens and chemicals from manure, bio-solids, or compost applications transported to surface water	Potential sources of pathogens or pharmaceuticals are not applied on the land	Organic materials are applied, stored, and/or handled to mitigate negative impacts to surface water sources	Client input / planner observation
			Pathogens and chemicals from manure, bio-solids, or compost applications transported to groundwater	Potential sources of pathogens or pharmaceuticals are not applied on the land	Organic materials are applied, stored, and/or handled to mitigate negative impacts to groundwater sources	

National and State Resource Concerns and Planning Criteria

10/1/2013

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-14 WATER QUALITY DEGRADATION – Excessive salts in surface and ground waters	Irrigation or rainfall runoff transports salts to receiving water in quantities that degrade water quality and limit use for intended purposes.	• All	Excessive salts in surface water	Excess salt is not a problem	Salt concentrations are managed to mitigate off-site transport to surface waters	Client input / planner observation
			Excessive salts in groundwater	AND Activities do not contribute to excess salt problem	Salt concentrations are managed to mitigate off-site transport to groundwater	
-15 WATER QUALITY DEGRADATION – Petroleum, heavy metals and other pollutants transported to receiving waters	Heavy metals, petroleum and other pollutants are transported to receiving water sources in quantities that degrade water quality and limit use for intended purposes.	• All	Petroleum, heavy metals, and other pollutants transported to surface water	Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants	Petroleum, heavy metals or other potential pollutants are stored and handled to avoid runoff to surface water	Client input / planner observation
			Petroleum, heavy metals, and other pollutants transported to groundwater	Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants	Petroleum, heavy metals or other potential pollutants are stored and handled to avoid leaching to groundwater	
-16 WATER QUALITY DEGRADATION – Excessive sediment in surface waters	Off-site transport of sediment from sheet, rill, gully, and wind erosion into surface water that threatens to degrade surface water quality and limit use for intended purposes.	• Crop* • Developed Land* • Farmsteads* • Other Rural Land • Associated Ag Land • Designated Protected Area • Water • Pasture*		Permanent ground cover > 90% and slope < 10% AND Classic gullies are not present AND Streams or shoreline are not on or adjacent to site	Upslope treatment and buffer practices address concentrated flows to water bodies AND SVAP2 - bank condition ≥ 5 AND Livestock and vehicle water crossings are stable AND Water erosion rate ≤ T AND Wind erosion rate ≤ T	RUSLE2 WEPS Client input / planner observation SVAP2
		• Forest*		There are no untreated sources of erosion AND Streams or shoreline are not on or adjacent to site	Upslope treatment and buffer practices address concentrated flows to water bodies AND Heavy use areas are stable AND SVAP2 - bank condition ≥ 5	Client input / planner observation SVAP2
		• Range*			RHA - hydrologic function attribute - slight to moderate or less AND SVAP2 - bank condition ≥ 5	RHA - Rangeland Health Assessment SVAP2

National and State Resource Concerns and Planning Criteria

10/1/2013

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-17 WATER QUALITY DEGRADATION – Elevated water temperature	Surface water temperatures exceed State/Federal standards and/or limit use for intended purposes.	• All		Water courses on or adjacent to the site are not designated by a State Agency as a temperature impairment OR Water course temperature is not a client concern	[SVAP2 - riparian area quality element score \geq 5 AND SVAP2 - riparian area quantity quality element score \geq 5 AND SVAP2 - canopy cover element score \geq 6] OR Existing conservation practices are in place to address water temperature	Client input / planner observation SVAP2
PLANT	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-18 DEGRADED PLANT CONDITION – Undesirable plant productivity and health	Plant productivity, vigor and/or quality negatively impacts other resources or does not meet yield potential due to improper fertility, management or plants not adapted to site. This includes addressing pollinators and beneficial insects.	<ul style="list-style-type: none"> • Crop • Farmsteads • Developed Land • Designated Protected Area • Associated Ag Land • Other Rural Land 		Plant production and health is not a client concern	Plants are adapted to the site, meet production goals and do not negatively impact other resources AND Plant damage from wind erosion is below Crop Damage Tolerance levels	Client input / planner observation Crop Tolerance Table National Agronomy Manual Table 502-1 WEPS
		• Range*			Vegetation meet similarity index or range condition score of 65 or greater for desired plant community and has a positive trend OR RHA – biotic integrity attribute rating - slight to moderate departure or less	RHA - Rangeland Health Assessment Rangeland Trend Worksheet KS-ECS-11 Similarity Index Worksheet
		• Pasture*		Plant production and health is not a client concern	PCS - 30 or above Plants are adapted to the site, meet production goals and do not negatively impact other resources	Similarity Index Worksheet PCS - Pasture Condition Score (Section IV, 528)
		• Forest		Plant production and health is not a client concern	Forest species are adapted to site AND Composition and stand density meets the Client's objectives and production goals	Stand density within 25% of optimum. "Good Condition" Kansas NRCS Forestry Technical Note KS-11

National and State Resource Concerns and Planning Criteria

10/1/2013

PLANT	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-19 DEGRADED PLANT CONDITION – Inadequate structure and composition	Plant communities have insufficient composition and structure to achieve ecological functions and management objectives. This includes degradation of wetland habitat, targeted ecosystems, or unique plant communities.	<ul style="list-style-type: none"> • Forest • Designated Protected Area • Associated Ag Land • Water • Pasture 		Plant communities support the intended land use and desired ecological functions	Plant communities contain adequate diversity, composition and structure to support desired ecological functions	Ecological Site Descriptions and/or Range Site Descriptions, Section II Planner Observation Pasture-Forage Suitability Groups, Section II
		<ul style="list-style-type: none"> • Range* 		Plant communities support the intended land use and desired ecological functions	Plant communities contain adequate diversity, composition and structure to support desired ecological functions OR RHA – biotic integrity attribute rating slight to moderate departure or less OR Vegetation meet similarity index of 60 or greater for desired plant community and has a positive trend	Ecological Site Descriptions and/or Range Site Descriptions, Section II RHA - Rangeland Health Assessment Rangeland Trend Worksheet Similarity Index Worksheet
-20 DEGRADED PLANT CONDITION – Excessive plant pest pressure	Excessive pest damage to plants including that from undesired plants, diseases, animals, soil borne pathogens, and nematodes. This concern addresses invasive plant, animal and insect species.	<ul style="list-style-type: none"> • Crop • Forest* • Farmsteads • Range* • Developed Land • Associated Ag Land 		Plant productivity is not limited from pest pressure	Pest damage to plants are below economic or environmental thresholds or client-identified criteria AND Plant pests, including noxious and invasive species are managed to meet client objectives	Client input / planner observation For noxious and invasive species - see Federal, state, and county option noxious weed list , the Kansas invasive weed watch list , and Kansas permanent quarantine list .
		<ul style="list-style-type: none"> • Designated Protected Area • Water • Other Rural Land 			PCS - insect and disease pressure element score ≥ 4	
-21 DEGRADED PLANT CONDITION– Wildfire hazard, excessive biomass accumulation	The kinds and amounts of fuel loadings - plant biomass - create wildfire hazards that pose risks to human safety, structures, plants, animals, and air resources.	<ul style="list-style-type: none"> • Pasture* • All 		Plant productivity is not limited from pest pressure Wildfire hazard is not a concern	4 AND PCS - site adaptation element score ≥ 4 Fuel loads and fuel ladders are managed to provide defensible space and meet client objectives	PCS - Pasture Condition Score (Section IV, 528) Client input / planner observation

National and State Resource Concerns and Planning Criteria

10/1/2013

ANIMAL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-22 INADEQUATE HABITAT FOR FISH AND WILDLIFE – Habitat degradation	Quantity, quality or connectivity of food, cover, space, shelter and/or water is inadequate to meet requirements of identified fish, wildlife or invertebrate species.	All with “wildlife” modifier - (Required when Land Use has a wildlife modifier)	Quantity, quality of food is inadequate to meet requirements of identified fish, wildlife or invertebrate species		<p>WHSI rating ≥ 0.5 AND (when surface stream present) [SVAP2 – fish habitat complexity element score ≥ 7 AND SVAP2 – aquatic invertebrate habitat element score ≥ 7] OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR Food is available in quality and extent to support habitat requirements for the species of interest</p>	<p>Species-specific wildlife habitat assessment tools</p> <p>Kansas Wildlife Habitat Assessment Guide KWHAG</p> <p>SVAP2</p> <p>Generalized WHS Index finalized by States, and detailed models by selected species and habitat type (under development)</p>
			Quantity, quality of water is inadequate to meet requirements of identified fish, wildlife or invertebrate species		<p>WHSI rating ≥ 0.5 AND (when surface stream present) SVAP2 – aquatic invertebrate habitat element score ≥ 7 OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR Water is available in quality and extent to support habitat requirements for the species of interest</p>	
			Quantity, quality or cover/shelter is inadequate to meet requirements of identified fish, wildlife or invertebrate species		<p>WHSI rating ≥ 0.5 AND (when surface stream present) [SVAP2 – barriers to movement element score ≥ 7 AND SVAP2 – fish habitat complexity element score ≥ 7 AND SVAP2 – aquatic invertebrate habitat element score ≥ 7] OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR Cover is of available quality and extent to support habitat requirements for the species of interest</p>	

National and State Resource Concerns and Planning Criteria

10/1/2013

ANIMAL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-22 INADEQUATE HABITAT FOR FISH AND WILDLIFE – Habitat degradation (continued)	Quantity, quality or connectivity of food, cover, space, shelter and/or water is inadequate to meet requirements of identified fish, wildlife or invertebrate species.	All with “wildlife” modifier - (Required when Land Use has a wildlife modifier)	Habitat continuity and/or space is inadequate to meet requirements of identified fish, wildlife or invertebrate species		<p>WHSI rating ≥ 0.5</p> <p>AND (when surface stream present)</p> <p>[SVAP2 – barriers to movement element score ≥ 7</p> <p>AND</p> <p>SVAP2 – aquatic invertebrate habitat element score ≥ 7]</p> <p>OR</p> <p>Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds</p> <p>OR</p> <p>The connectivity of habitat components are adequate to support stable populations of targeted species</p>	<p>Species-specific wildlife habitat assessment tools</p> <p>SVAP2</p> <p>Generalized WHS Index finalized by States, and detailed models by selected species and habitat type (under development)</p>
-23 LIVESTOCK PRODUCTION LIMITATION – Inadequate feed and forage	Feed and forage quality or quantity is inadequate for nutritional needs and production goals of the kinds and classes of livestock.	• All with “grazed” modifier (Applicable when Land Use is grazed)			Livestock forage, roughage and supplemental nutritional requirements addressed.	<p>Client input / planner observation</p> <p>GRAS - Grassland Resource Analysis System (under development)</p>
-24 LIVESTOCK PRODUCTION LIMITATION – Inadequate livestock shelter	Livestock lack adequate shelter from climatic conditions to maintain health or production goals.	• All with “grazed” modifier (Applicable when Land Use is grazed)			Artificial or natural shelters meet animal health needs and client objectives.	Client input / planner observation
-25 LIVESTOCK PRODUCTION LIMITATION – Inadequate livestock water	Quantity, quality and/or distribution of drinking water are insufficient to maintain health or production goals for the kinds and classes of livestock.	• All with “grazed” modifier (Applicable when Land Use is grazed)			Water of acceptable quality and quantity adequately distributed to meet animal needs.	<p>Client input / planner observation</p> <p>GRAS - Grassland Resource Analysis System - Tool for water distribution (under development)</p>

National and State Resource Concerns and Planning Criteria

10/1/2013

ENERGY	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-26 INEFFICIENT ENERGY USE – Equipment and facilities	Inefficient use of energy in the Farm Operation increases dependence on non-renewable energy sources that can be addressed through improved energy efficiency and the use of on-farm renewable energy sources. As an example, this concern addresses inefficient energy use in pumping plants, on-farm processing, drying and storage.	<ul style="list-style-type: none"> • All 		Client is not interested in improving equipment and facilities energy efficiency	<p>A USDA approved energy audit been implemented that address equipment and facilities to meet client objectives</p> <p>OR</p> <p>On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives</p>	<p>Client input / planner observation</p> <p>USDA approved Energy Audit</p> <p>NRCS Energy Estimator</p>
-27 INEFFICIENT ENERGY USE – Farming/ranching practices and field operations	Inefficient use of energy in field operations increases dependence on non-renewable energy sources that can be addressed through improved efficiency and the use of on-farm renewable energy sources.	<ul style="list-style-type: none"> • All 		Client is not interested in improving energy use in farm and ranch field operations	<p>A USDA approved energy audit been implemented that address field operations to meet client objectives</p> <p>OR</p> <p>On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives</p>	<p>Client input / planner observation</p> <p>USDA approved Energy Audit</p> <p>NRCS Energy Estimator</p> <p>Conservation on the Farm Checklist</p> <p>(under development)</p>

National and State Resource Concerns and Planning Criteria

10/1/2013

AIR	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-28 AIR QUALITY IMPACTS - Emissions of Particulate Matter - PM - and PM Precursors	<p>Direct emissions of particulate matter - dust and smoke -, as well as the formation of fine particulate matter in the atmosphere from other agricultural emissions - ammonia, NOx, and VOCs - cause multiple environmental impacts, such as:</p> <ul style="list-style-type: none"> - The unintended movement of particulate matter - typically dust or smoke - results in safety or nuisance visibility restriction. - The unintended movement of particulate matter and/or chemical droplets results in unwanted deposits on surfaces. - Increased atmospheric concentrations of particulate matter can impact human and animal health and degrade regional visibility. 	<ul style="list-style-type: none"> • Crop • Pasture • Range • Forest • Other Rural Land • Associated Ag Land • Designated Protected Areas • Developed Land • Farmsteads 		<p>Activities are not present that contribute to agricultural source PM or PM precursor emissions</p> <p>PM Producing Activity</p> <p>Examples:</p> <ul style="list-style-type: none"> • Prescribed Burn is conducted • Travel ways unpaved or untreated with binding agents • Engines (combustion source) • Tillage • Pesticides are applied • Fertilization (manure/commercial) • CAFO/manure management) <p>AND</p> <p>Episodes or complaints of emissions of PM (dust, smoke, exhaust, etc.), or chemical drift have not occurred</p>	<p>PM and PM Precursor emissions are managed to meet client objectives</p>	<p>Client input / planner observation</p>
-29 AIR QUALITY IMPACTS - Emissions of Greenhouse Gases - GHGs	<p>Emissions increase atmospheric concentrations of greenhouse gases.</p>	<ul style="list-style-type: none"> • All 		<p>Activities are not present that produce GHGs emissions</p> <p>GHG Producing Activities:</p> <ul style="list-style-type: none"> • Fertilization (manure/commercial) • CAFO/manure management • Engines (combustion source) • Tillage <p>AND</p> <p>GHGs are not regulated in this planning area</p>	<p>Greenhouse gas emissions are managed to meet client objectives</p>	<p>Client input / planner observation</p>

National and State Resource Concerns and Planning Criteria

10/1/2013

AIR	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
-30 AIR QUALITY IMPACTS - Emissions of Ozone Precursors	Emissions of ozone precursors - NOx and VOCs - resulting in formation of ground- level ozone that cause negative impacts to plants and animals.	<ul style="list-style-type: none"> • All 		Operations are not present that produce ozone or precursor emissions Ozone Producing Activities: <ul style="list-style-type: none"> • Engines (combustion source) • Pesticide application • Burning • CAFO/manure management • Fertilization (manure /commercial) 	Ozone precursor emissions are managed to meet client objectives	Client input / planner observation
-31 AIR QUALITY IMPACTS - Objectionable odors	Emissions of odorous compounds - VOCs, ammonia and odorous sulfur compounds - cause nuisance conditions.	<ul style="list-style-type: none"> • Crop • Pasture • Farmsteads • Other Rural Land 		Activities are not present that contribute to nuisance air quality conditions Nuisance Producing Activities: <ul style="list-style-type: none"> • Pesticide application • CAFO / manure management • Composting is conducted AND Odor sources are not regulated in this planning area AND Episodes or complaints of emissions of PM (dust, smoke, exhaust, etc.), or chemical drift have not occurred	Odors are managed to meet client objectives	Client input / planner observation